
BASIC INFORMATIONS

- Year: 2018
- Builder: Fountaine Pajot
- Length: 14.98 m
- Beam: 7.99 m
- Draft: 1.25 m
- Displacement: 15,700 kg
- Engines: 2 x 75 HP
- Fuel tank: 2 x 470 L (total 940 L)
- Water tank: 700 L
- Double cabins: 6
- Single cabins: 1
- Bed in saloon: no
- Persons [recomm./licensed]: 12 / 13
- Showers [cabins + deck]: 7
- Heads [cabins]: 6

LAYOUT



SALOON

- Exterior window blinds for salon
- Diner table in salon
- Salon flooring: Timber-laid floor
- Seat cushions
- Accessible via a single-leaf sliding door with carpeted entrance
- Panoramic vie through picture windows
- Natural lighting via 2 glass panels
- 6 places bench seat
- Large storage boxes under the bench
- Ventilation via to 2 large front opening hatches
 - Main lighting system by 5 spotlights

CHART TABLE

- 2x Interior 12V outlet
- · Wooden chart table and storage with flap cover
- High navigation instrument console
- 12V Electric panel
- Lighting via 1 spotlight & 1 reading lamp for the chart table

GALLEY

- 12V 90L Freezer
- 220V Microwaves oven
- Galley fully equipped (coffee machine, blender, ice-maker, dishes, pots, glasses, etc.)
- Galley opened to the outside thanks to a sliding bay
- Ventilation via 1 opening hatch above stove top
- Worktop
- Twin stainless-steel sinks
- 1x top accessed trash can, bags removed through separate door
- Pressurized hot and cold freshwater system from mixer faucet
- 1x 4 burner stove with pan holder
- 1x stainless gas oven
- Front closet that can accommodate a maximum volume of 130L/34gals in refrigeration mode or 90L/24gals in conservation mode
- 1x cutlery drawer, 2 drawer for pots & pans
- 190L cold storage volume (12V) in central "island" cabinet
- 1x large storage cupboard on the starboard side of the entrance
- 3x storage spaces underneath the floor
- 4x spotlights

FOREPEAK

- Fore peak (starboard):
 - Complete fitting out stb forepeak
 - Access from the forward bathroom or the deck hatch
 - Fully-painted, gel-coat finish
 - Buoyancy reserve under half-height shelf Lining covered ceilings
- Forepeak (port hull):
 - Storage space only
 - Access from the forward bathroom
 - Fully-painted, gel-coat finish
 - Buoyancy reserve under half-height shelf

CABINS x 6 (QUINTET VERSION)

- TV screen (22") multimedia 16/9 with DVD player unit for 1
- 12V fan in cabins (total 6)
- Curtains in cabins
- · Cabins flooring: Timber-laid floor
- Polyether foam mattresses

CABINS x 6 (QUINTET VERSION) - continued

- Port hull a companionway behind the saloon gives access to the starboard hull. The amidships & fore cabins though a companionway ahead of the saloon:
 - Wooden staircase with stainless steel silt
 - 1 spotlight
- Aft cabin (port hull):



- Starboard hull a companionway behind the saloon gives access to the starboard hull:
 - Wooden staircase on stainless steel silt
 - Lighting via 2 spotlights
- Aft Cabin (starboard hull):
 - Access from the companionway via a wooden door
 - Queen-size Island Bed (1,60 x 2m)
 - Drawer below the bed with frontal access
 - Bedside shelves
 - Wardrobe
 - Cupboard with shelves in it
 - Ventilation via a deck hatch + 1 porthole overlooking the rear deck
 - Rear panoramic window
 - Large picture-window on hull side
 - Curtains to all windows
 - Main lighting via 2 spotlights & 2 berth lights
 - 1 Bedside two-way switch
 - Clothes hooks
 - Lining covered ceilings
- Crew cabin (starboard hull):
 - Access from the companionway via a wooden door
 - Double bed (1.30m x 2m)
 - Hanging closet in the companionway
 - Storage room below the bed
 - Lighting via 2 spotlights + berth light
 - Controlled Mechanical Ventilation in the cabin
- Fore cabin (starboard hull):
 - Access from the companionway via a wooden door
 - Queen-size Island Bed/ Double bed (1.60 x 2m)
 - Drawer below the bed with frontal access
 - Wardrobe
 - Cupboard with shelves in it
 - Ventilation thanks to a deck hatch + 1 porthole
 - Large picture-window on hull side
 - Curtains to all windows and doors
 - Main lighting via 2 spotlights & 2 berth lights
 - 1 Bedside two-way switch
 - Clothes hooks
 - Lining covered ceilings

- Access from the cockpit though Plexiglas door including keylock
- Oueen-size bed (1.60 x 2m)
- Drawer below the bed with frontal access
- Wardrobe
- Cupboard with shelves in it
- Ventilation thanks to a deck hatch
- Large picture-window on hull side
- Curtains to all windows and doors
- Lining covered ceilings
- Main lighting via 2 spotlights & 2 berth lights
- 1 Bedside two-way switch
- Clothes hook
- Lining covered ceilings
- Central cabin (port hull):
 - Access from the companionway via a wooden door
 - Queen-size bed (1.60 x 2m)
 - Drawer below the bed with frontal access
 - Wardrobe
 - Ventilation thanks to a deck hatch & 1 porthole
 - Large picture-window on hull side
 - Curtains to all windows and doors
 - Main lighting via 2 spotlights & 2 berth lights
 - 1 Bedside two-way switch
 - Clothes hook
 - Lining covered ceilings

DECK LAYOUT

- Helm station:
 - Bimini for helm station
 - Enclosure for bimini helm station
 - Access through staircase from the cockpit
 - Enclosure for bimini helm station
 - Triple helmsman seat
 - Instrument console
 - 360° view / All-round visibility
 - Access to the Lounge deck through staircase
- Lounge deck:
 - Area with mattresses
 - Access via staircase from wheelhouse
 - Surface: 13 m³
 - Visibility 360°
 - Lounge with large sofa

DECK LAYOUT - continued

- Cockpit:
 - 2x swimming ladders
 - Teak floor transoms/cockpit
 - Gas barbecue
 - hot and cold shower in the port platform
 - Teak cockpit table extension for 12 persons
 - Cockpit fridge
 - PVC Dinghy 3.4m with 9.9HP Mercury engine
 - Hydraulic aluminium davits + Supp cradle
 - Waterproof exterior 12V outlet
 - Cockpit courtesy lighting
 - Large cockpit: 19m³, Circulation without threshold towards the saloon
 - Access via the transom platforms



- Fainting sofa at port
- Stowag
- e locker at port
- Fore-deck saloon:
 - Grand coffre avant, access to anchorage and fresh water
 - 1 Large chest giving access to windlass and anchor as well as water tanks
 - Relaxation area with U-shaped sunbed

2x Saildrive Volvo engine D2 75 HP

Engine cooled via heat exchanger

3x Blades fixed propeller

Salt water filters

MOTORIZATION

- Access via polyester deck hatch installed on stainless steel gas cylinders
- Sound proofing
- Neon lighting

Engines & Equipments:

PLUMBING

Freshwater:

handrail

2v Sunheds

Additional electric freshwater pump

Lighting via 2 waterproof spotlights

- Watermaker 110L/h 50HZ Ecotech
- Pressurized seawater system
- 2 Freshwater tanks in the technical compartment at bow (700L total capacity)

Space for the liferaft under the stairs leading to helm

Additionnal ventilation and lighting via 1 deck hatch

Transom platform with swimming ladder (at port) &

GRP Bimini protecting all the cockpit

Serving hatch to the galley via sliding bay 1x Large storage area under the sofa

1x fainting sofa with large storage locker

1x Transom sofa with large storage locker

8 seats sofa around the table

1x Gas chest for 2 bottles

- 1 Electric gauge at chart table
- 1 Electric pump and pressure accumulator
- 1 Mixed water heater 60l in port hull
- Available space for an additional water heater in the starboard hull
- Grey water:
 - Shower drainage via individual shower pump (automatic
- Bilging system:
 - 1 electric bilge pump (2m3/h) in each engine room
 - 1 electric bilge pump (2m3/h) in each hull
 - 1 manual exterior bilge pump

Fuel System:

1x Fuel tank 470L in each hull (two in total) - fuel filling on both side decks including backflow protection device

Complete engine panel and dual controls at helm station

- 2x Electric fuel gauge (indicator at chart table)
- 1x Fuel pre-filter / water separator + 1 engine fuel filter / engine
- Fuel shut-off valves

HEADS COMPARTMENTS x 6 (QUINTET VERSION)

- Fore & aft bathrooms (starboard hull):
 - Electric head large bowl (total 6)
 - Access via wooden door
 - Washbasin with worktop
 - Mirror with shelf
 - Hot and cold freshwater system from mixer faucet
 - Shower separated via a Plexiglas panel
 - Electric drainage pump
 - Mixing valve tap for shower
 - Storage closet with shelves under the worktop
 - Clothes hooks
 - Ventilation via 1 deck hatch
 - Lighting via 2 spotlights
- Crew bathroom (starboard hull):
 - Electric head large bowl (total 6)
 - Access from the companionway via a wooden door
 - Worktop & washbasin with mixer faucet

 - Shower with electric drainage pump

 - Ventilation thanks to 1 deck hatch
 - 1 spotlight

HEADS COMPARTMENTS x 6 (QUINTET VERSION) - continued

- Aft, central and fore bathroom (port hull):
 - Electric head large bowl (total 6)
 - Access via wooden door
 - Washbasin with worktop
 - Mirror with shelf
 - Hot and cold freshwater system from mixer faucet
 - Shower separated via a Plexiglas panel
 - Electric drainage pump for greywater
 - Mixing valve tap for shower
 - Storage closet with shelves under the worktop
 - Clothes hooks
 - Ventilation thanks to 1 deck hatch
 - Lighting via 2 spotlights



ELECTRICITY / ELECTRONIC

- Electronic:
 - Second VHF AIS helmstation
 - GARMIN Pack 2: Autopil, VHF, AIS, 2*GPS 7410, 2*multi GMI20
 - Radar + support + wiring
 - GARMIN autopilot remote
 - TV screen (22") multimedia 16/9 with DVD player unit for 1 cabin.
 - Eco Cruising Monitor
 - VHF mast head antenna prewired
 - Fusion audio pack Bluetooth 4 Sp.
 - Video TV/HIFI pack
 - TV/radio antenna
- Other:
 - Air conditioning 220V 50HZ main syst. 68K BTU
 - 12V fan in cabins (total 6)
 - Solar panels 4X90/100 W
 - Additional electric freshwater pump
 - Underwater lighting 2x21 W
 - Add. windlass control chain counter
 - Hydraulic aluminium davits + Supp cradle
 - Watermaker 110L/h 50HZ Ecotech

ELECTRICITY / ELECTRONIC - continued

- Power circuit:
 - Additional AGM battery 150A suppl.
 - 220V main system with charger
 - 2000W Inverter/charger / 220V 50hz
 - 11KW 220V 50HZ genset
 - 2 x 115A/12V engine alternators
 - 1 set starboard onboard/engine batteries of 600A/h (4 x 150 Ah)
 - 1 port engine battery of 50A/h/800CCA
 - 1 automatic back-up link and 1 Manual back-up link
- 12V Electrical Distribution Panel:
 - Interior 12V outlet v2
 - General 12V distribution panel at chart table protected via circuit breakers
 - Voltmeter for onboard batteries
 - Spare sockets for extra equipment
 - All accomodation lightings LED
 - All LED lighting functions monitored by multiplexing system

DECK FITTINGS

- Helm station:
 - Electric winch for genoa sheet
 - 1 mainsheet tackle led aft to coach roof
 - 1 clutch for mainsail sheet
 - Size 60 self tailing winches for mainsail
 - 1 Ball bearing mainsheet traveler
 - 2 x tackle on mainsheet traveler clutches with back on roof
 - 2 x genoa tracks with load block
 - 2 genoa sheets
 - 1 size 50 self tailing winchs for main halyard and reef lines
 - 1 halyard storage bag
- Bar system:
 - 2 foam sandwich rudders on stainless steel rudder stock
 - Hydraulic steering system with manual pump and 1 cylinder (starboard side)
 - Rudders linked mechanically by stock arm + transversal tube
 - Aluminium sterntubes
 - Self lining upper and lower rudderstock bearings
 - Emergency tiller

DECK FITTINGS - contunued

- Other Equipments:
 - Teak floor transoms/cockpit
 - Cockpit fridge
 - Solar panels 4X90/100 W
 - 1500W electric windlass with circuit breaker protection
 - Add. windlass control chain counter
 - Hydraulic aluminium davits + Supp cradle
 - Pulpits with 2 bow pulpit seats
 - Outdoor cushions (cockpit + lounge deck)
 - Outdoor foredeck cushions
 - Seat cushions
 - 1 steering compass
 - 3 winch handles with their 3 pockets
 - Pulpit and pushpit, stanchions with upper and lower guardrails
 - Access to transom
 - 2 x tender davits with 1 x size 46 winch on port side
 - 7 mooring cleats (2 foredeck + 2 middle + 2 astern + 1 in anchor well)
 - Protection for both transom
 - 6 fenders
 - 2 x 50 ft long mooring lines
 - Anchor fairlead under bridge deck with built-in bridle
 - 1 roller on forward beam
 - Net on forward beam
 - 1 kit of spare parts

RIGGING & SAILS

- Mast & Boom:
 - Lazy jack and lazy bag
 - Mast and boom in anodized aluminum
 - Complete standing rigging
 - Ball bearing mainsail luff cars

GENERAL EQUIPMENT / OTHER

- Combination lock safe
- Mooring kit + 6 fenders
- Double clutche for reefs 2 and 3
- Auto. switch for bilge pumps
- Dralon protective cover for wheel



- 1 tackle on mainsail halyard
- 1 topping lift
- 3 reef pennants
- 1 genoa halyard
- 1 spinnaker halyard
- Clutches on all halyards for genoa, spinnaker and topping lift
- Clutches on reef pennants at boom exit
- 2 flag halyards
- Navigation, running and mooring lights
- Deck lighting
- Sails:
 - Electric winch for genoa sheet
 - CST mainsail full batten
 - Full batten CSR mainsail
 - Roller genoa furler
 - Genoa with UV band

- Upgrade Bose
- · Protective strip on both transoms
- Chain + 25KG Anchor
- Alpi woodworking
- Lining on rotproof glass felt
- Polyether foam mattresses



